



Belt conveyors MGF

Gentle long-distance conveyors for delicate bulk materials in the wood industry



CONVEYORS
INDUSTRIAL SOLUTIONS

www.amf-bruns.com



Belt conveyors

MGF 300 to MGF 2000

Technical data

Design:	horizontal/inclined/concave/convex/reversible/movable
Materials:	S235JR (St37) / 1.4301 / vz
Types of gear:	spur gears, flat gears and bevel gears
Types of drive:	direct drive and coupling drive
Safety components:	rotation speed monitoring / pull-rope emergency stop switch / off-track switch / safety guard
Accessories:	stable, tilted plate design / lower belt cover / plough scraper or diagonal scraper / centring stations / guidance stations / lateral rollers
Material guidance:	with product guide rails and slat curtains
Shaft seals:	seal insert
Tensioning station:	spindle tensioning unit / weight-loaded rear tensioning point with tensioning carriage / weight-loaded central tensioning point
Drive station:	wiper system / cleaning brushes
Belt qualities:	certified food-safe / heat and cold resistant / oil and grease resistant / with different liners / steel cord belts
Additional options:	ATEX / discharge trolleys / belt scales / overbelt magnet / dust extraction nozzles / cover hoods (Organit, 1.4301, aluminium, vz) / special materials / special coating / fully enclosed / filling level indicator / movable

Trough belt conveyors MGF from AMF-Brunns

Delicate goods transported gently over long distances

Typical products conveyed:

dust, granules, powders and sludges as well as bulky coarse-grained goods

Housing materials:

S235JR (St37) / 1.4301 / vz

Belt qualities:

certified food-safe, heat and cold resistant, oil and grease resistant, with different liners, steel cord belts

Safety components:


rotation speed monitoring, pull-rope emergency stop switch, off-track switch, safety guard

Design types:

horizontal, inclined, concave, convex, reversible, movable

The benefits of AMF-Brunns belt conveyors:

- volume flows of up to 2,200 m³/h
- low energy and space requirements
- protects the transported goods
- suitable for very long horizontal conveying distances
- low maintenance





Please feel free to contact us.



AMF-Bruns GmbH & Co. KG · Hauptstraße 101 · 26689 Apen · Germany
Phone: +49 (0)44 89 - 72 7100 · info@amf-bruns.de
www.amf-bruns.com